


Radial Timber Product Summary (Rev: Apr08 1.0)

Part 1: Claddings & Linings

◆ External Hardwood Cladding

Typical Species: Silvertop Ash (also Sth Mahogany or Yellow Stringybark, depending on product)
Durability Class: 2

Radcon Natural Edge Weatherboards



- Profiles: Cover varies according to log (average 110-120mm cover)
- Lengths: Random (2.7 – 5.4m)
- Availability: In stock
- Notes: Unseasoned/Tungsten Sawn

Radcon Square Edge Weatherboards



- Profiles: 155x20mm (actual thickness may vary + or – 5mm)
- Lengths: 2.7m, 3.6m, 4.2 & 4.5 metres (or random length packs)
- Availability: To order (Min. 3 weeks lead time)
- Notes: Unseasoned/Tungsten Sawn

19mm Shiplap



- Profiles: 70x19mm, 90x19mm, 110x19mm (other profiles available on request)
- Lengths: Random (2.1 - 5.0m but wider boards will have shorter length range)
- Availability: Limited stock 110mm
- Notes: Seasoned/Dressed

25mm Vertical Board & Batten



- Profiles: 75x25mm cap & 125x25mm base
- Lengths: Random (2.1 - 5.4m)
- Availability: To order (Min. 2 weeks lead time)
- Notes: Unseasoned/Tungsten Sawn (base board may be dressed on request)

For more information contact Radial Timber Sales or visit our website at: www.radialtimber.com

◆ Internal Hardwood Linings

Typical Species: Blue Gum (plantation grown)
Durability Class: 2 to 3


Optional Species: Silvertop Ash (also Sth Mahogany or Yellow Stringybark)
Durability Class: 2

12mm Wall & Ceiling Linings



- Profiles: Typically 75x12mm, 100x12mm (sizes may vary)
- Lengths: Random (2.1 - 5.4m but wider boards will have shorter length range)
- Availability: Limited stock/To order (Min. 4 weeks lead time)
- Notes: Kiln Dry/Dressed

19mm T&G Solid Flooring



- Profiles: 80x19mm, 108x19mm (wider profiles may be available on request)
- Lengths: Random (1.2 - 5.0m but wider boards will have shorter length range)
- Availability: Limited stock/To order (Min. 4 weeks lead time)
- Notes: Kiln Dry/Dressed (both straight end or end matched available)


12mm Overlay Flooring



- Profiles: Typically 80x12mm (size may vary)
- Lengths: Random (1.2 – 3.5m)
- Availability: To order (Min. 4 weeks lead time)
- Notes: Kiln Dry/Dressed

Radcon Drop Wedge

- Profiles: Typically 50x70mm (size may vary)
- Lengths: 2.7m std
- Availability: To order (Min. 3 weeks lead time)
- Notes: Unseasoned/Tungsten Sawn



NOTE: In addition to the above Radially Sawn profiles, Radial Timber Sales can source a wide variety of conventional Australian hardwood flooring. No matter what your lining requirements, we will do our best to assist with your enquiries (also ask about conventionally sawn hardwood bearers and joists).

For more information contact Radial Timber Sales or visit our website at: www.radialtimber.com

Radial Timber Product Summary (Rev: Jan06 1.0) Part 2: Decking & Screens

◆ Hardwood Decking

Typical Species: Silvertop Ash (also Sth Mahogany or Yellow Stringybark)
Durability Class: 2


Optional Species: Red Ironbark (NOTE: only available in limited quantities)
Durability Class: 1

19mm New Deck[®]



- Profiles: 55x19mm, 80x19mm, 100x19mm
- Lengths: Random (2.1 - 5.4m but wider boards will have shorter length range)
- Availability: In stock
- Notes: Seasoned/Dressed


25mm Random Beveled Edge Decking



- Profiles: 75x25mm & 125x25mm supplied together
- Lengths: Random (2.1 - 5.4m)
- Availability: To order (Min. 2 weeks lead time)
- Notes: Unseasoned/Tungsten Sawn

27mm to 32mm Boardwalk Decking

***NOTE:** Radial Boardwalk Deck may not be kept in stock but conventionally sawn profiles may be available in lieu



- Profiles: Typically 105x27 or 32mm, 130x27 or 32mm (sizes may vary)
- Lengths: Random (1.8 - 5.0m but wider boards will have shorter length range)
- Availability: Limited stock (wider profiles may require additional lead time)

- Notes: Seasoned/Dressed

NOTE: In addition to the above Radially Sawn profiles, Radial Timber Sales can source a wide variety of conventionally sawn Australian hardwood decking. No matter what your decking requirements, we will do our best to assist with your enquiries (also ask about conventionally sawn hardwood bearers and joists).


For more information contact Radial Timber Sales or visit our website at: www.radialtimber.com

◆ Hardwood Screen Boards

Typical Species: Silvertop Ash (also Sth Mahogany or Yellow Stringybark)
Durability Class: 2


Optional Species: Red Ironbark (NOTE: only available in limited quantities)
Durability Class: 1

Sawn Beveled Edge Boards




- Profiles: 50x23mm, 75x25mm, 75x50mm
- Lengths: Random or cut to set lengths (1.2 to 3.6m)
- Availability: To order (Min. 2 weeks lead time)
- Notes: Unseasoned/Tungsten Sawn

Dressed Beveled Edge Boards



- Profiles: 55x19mm, 80x19mm, 55x40mm
- Lengths: Random or cut to set lengths (1.2 to 3.6m)
- Availability: Limited stock
- Notes: Seasoned/Dressed

Dressed Square Edge Boards



- Profiles: 45x19mm, 40x30mm, 40x40mm
- Lengths: Random or cut to set lengths (1.2 to 3.6m)
- Availability: Limited stock
- Notes: Seasoned/Dressed (with or without pencil round edges)

NOTE: In addition to the above Radially Sawn profiles, Radial Timber Sales can source a wide variety of conventional Australian hardwood timber. No matter what your screening requirements, we will do our best to assist with your enquiries (also inquire about conventionally sawn hardwood framing).



For more information contact Radial Timber Sales or visit our website at: www.radialtimber.com